



Report Number: 23-009670/D004.R000

Report Date: 08/18/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 08/15/23 11:03


Customer: Bayou City Hemp Oklahoma

Product identity: V08Kp30811

Client/Metrc ID:

Laboratory ID: 23-009670-0007

Summary







Report Number: 23-009670/D004.R000

Report Date: 08/18/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 08/15/23 11:03

Customer: Bayou City Hemp Oklahoma

102 Avenue N.

Idabel Oklahoma 74745

United States of America (USA)

Product identity: V08Kp30811

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-009670-0007

Evidence of Cooling: No
Temp: 27.2 °C
Relinquished by: client

Sample Results

| Potency | Method: J AOAC 20 | 15 V98-6 (mod) ^þ | Units % | Batch: 2310117 | Analyze: 8/16/23 11 | :10:00 PM |
|------------------------|-------------------|-----------------------------|------------------|----------------|----------------------------|--------------------------------------|
| Analyte | As Dry | LOQ N | otes | | - | |
| CBC | Received weig | ght 0.0721 | | | | |
| CBC-A | < LOQ < LOQ | 0.0721 | | | | |
| CBC-Total | < LOQ < LOQ | 0.135 | | | | |
| CBD CBD | < LOQ < LOQ | 0.133 | | | | 8-THC 8-THCV |
| CBD-A | < LOQ < LOQ | | | | | 8-THCVCBT |
| | | 0.0721 | | | | CBI |
| CBD-Total | < LOQ | 0.135 | | | | |
| CBDV | < LOQ | 0.0721 | | | | |
| CBDV-A | < LOQ | 0.0721 | | | | |
| CBDV-Total | < LOQ | 0.135 | | | | |
| CBE | < LOQ | 0.0721 | | | | |
| CBG | < LOQ | 0.0721 | | | | |
| CBG-A | < LOQ | 0.0721 | | | | |
| CBG-Total | < LOQ | 0.135 | | | | |
| CBL | < LOQ | 0.0721 | | | | |
| CBL-A | < LOQ | 0.0721 | | | | |
| CBL-Total | < LOQ | 0.135 | | | | |
| CBN | < LOQ | 0.0721 | | | | |
| CBT | 0.0860 | 0.0721 | | | | |
| $\Delta 10$ -THC-9R | < LOQ | 0.0721 | | | | |
| $\Delta 10$ -THC-9S | < LOQ | 0.0721 | | | | |
| $\Delta 10$ -THC-Total | < LOQ | 0.144 | | | | |
| $\Delta 8$ -THC | 80.0 | 0.721 | | | | |
| Δ8-THCV | 0.194 | 0.0721 | | | | |
| Δ9-THC | < LOQ | 0.0721 | | | | |
| delta-9-THCP | < LOQ | 0.0721 | | | | |
| exo-THC | < LOQ | 0.0721 | | | | |
| THC-A | < LOQ | 0.0721 | | | | |
| THC-Total | < LOQ | 0.135 | | | | |
| THCV | < LOQ | 0.0721 | | | | |
| THCV-A | < LOQ | 0.0721 | | | | |
| THCV-Total | < LOQ | 0.135 | | | | |
| Total Cannahinoids | 80.3 | | | | | |
| | | www.columbia | laboratories.com | | Pag | e 2 of 8 |

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless

prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430





Report Number: 23-009670/D004.R000

Report Date: 08/18/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/15/23 11:03

Potency Method: J AOAC 2015 V98-6 (mod)^b Units % Analyte LOQ Dry

Received weight





Report Number: 23-009670/D004.R000

Report Date: 08/18/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 08/15/23 11:03

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





23-009670/D004.R000 **Report Number:**

Report Date: 08/18/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/15/23 11:03

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

| Laboratory Quality Control Results J AOAC 2015 V98-6 Batch ID: 2310117 | | | | | | | | |
|--|------|--------|--------|-------|-------|------------|------------|-------|
| Laboratory Control Sa | mple | | | | | | | · |
| Analyte | LCS | Result | Spike | Units | % Rec | Limits | Evaluation | Notes |
| CBDVA | 2 | 0.0761 | 0.0718 | % | 106 | 80.0 - 120 | Acceptable | |
| CBDV | 2 | 0.0742 | 0.0708 | % | 105 | 80.0 - 120 | Acceptable | İ |
| CBE | 2 | 0.0840 | 0.0805 | % | 104 | 80.0 - 120 | Acceptable | İ |
| CBDA | 1 | 0.0790 | 0.0776 | % | 102 | 90.0 - 110 | Acceptable | |
| CBGA | 1 | 0.0781 | 0.0774 | % | 101 | 80.0 - 120 | Acceptable | İ |
| CBG | 1 | 0.0811 | 0.0794 | % | 102 | 80.0 - 120 | Acceptable | İ |
| CBD | 1 | 0.0829 | 0.0812 | % | 102 | 90.0 - 110 | Acceptable | İ |
| THCV | 2 | 0.0520 | 0.0513 | % | 101 | 80.0 - 120 | Acceptable | |
| d8THCV | 2 | 0.0622 | 0.0627 | % | 99.1 | 80.0 - 120 | Acceptable | İ |
| THCVA | 2 | 0.0815 | 0.0715 | % | 114 | 80.0 - 120 | Acceptable | İ |
| CBN | 1 | 0.0789 | 0.0810 | % | 97.4 | 80.0 - 120 | Acceptable | İ |
| exo-THC | 2 | 0.0706 | 0.0718 | % | 98.3 | 80.0 - 120 | Acceptable | İ |
| d9THC | 1 | 0.0769 | 0.0796 | % | 96.7 | 90.0 - 110 | Acceptable | İ |
| d8THC | 1 | 0.0713 | 0.0750 | % | 95.0 | 90.0 - 110 | Acceptable | İ |
| 9S-d10THC | 1 | 0.0772 | 0.0816 | % | 94.5 | 80.0 - 120 | Acceptable | İ |
| CBL | 2 | 0.0719 | 0.0718 | % | 100 | 80.0 - 120 | Acceptable | |
| 9R-d10THC | 1 | 0.0701 | 0.0745 | % | 94.1 | 80.0 - 120 | Acceptable | |
| CBC | 2 | 0.0711 | 0.0736 | % | 96.7 | 80.0 - 120 | Acceptable | |
| THCA | 1 | 0.0720 | 0.0763 | % | 94.3 | 90.0 - 110 | Acceptable | |
| CBCA | 2 | 0.0794 | 0.0750 | % | 106 | 80.0 - 120 | Acceptable | |
| CBLA | 2 | 0.121 | 0.115 | % | 105 | 80.0 - 120 | Acceptable | |
| d9THCP | 2 | 0.0688 | 0.0746 | % | 92.2 | 80.0 - 120 | Acceptable | |
| CBT | 2 | 0.0613 | 0.0725 | % | 84 5 | 80.0 - 120 | Acceptable | İ |

| Method Blank | • | | • | • | | |
|--------------|--|--------|-------|----------|------------|-------|
| Analyte | Result | LOQ | Units | Limits | Evaluation | Notes |
| CBDVA | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBDV | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBE | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBDA | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBGA | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBG | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBD | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| THCV | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| d8THCV | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| THCVA | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBN | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| exo-THC | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| d9THC | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| d8THC | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| 9S-d10THC | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBL | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| 9R-d10THC | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBC | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| THCA | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBCA | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBLA | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| d9THCP | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |
| CBT | <loq< td=""><td>0.0698</td><td>%</td><td>< 0.0698</td><td>Acceptable</td><td></td></loq<> | 0.0698 | % | < 0.0698 | Acceptable | |

Abbreviations

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





23-009670/D004.R000 **Report Number:**

Report Date: 08/18/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/15/23 11:03

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

| J AOAC 2015 V98-6 | | | | | Ba | atch ID: 2310117 | | |
|-------------------|---|---|---------------------------|-------|-------|------------------|------------|-------|
| Sample Duplicate | | | Sample ID: 23-009667-0001 | | | | | |
| Analyte | Result | Org. Result | LOQ | Units | RPD | Limits | Evaluation | Notes |
| CBDVA | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBDV | 0.345 | 0.344 | 0.0755 | % | 0.194 | < 20 | Acceptable | |
| CBE | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBDA | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBGA | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBG | 0.162 | 0.161 | 0.0755 | % | 0.577 | < 20 | Acceptable | |
| CBD | 93.6 | 95.2 | 0.0755 | % | 1.63 | < 20 | Acceptable | |
| THCV | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| d8THCV | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| THCVA | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBN | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| exo-THC | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| d9THC | 0.181 | 0.179 | 0.0755 | % | 1.28 | < 20 | Acceptable | |
| d8THC | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| 9S-d10THC | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBL | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| 9R-d10THC | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBC | 0.160 | 0.156 | 0.0755 | % | 2.67 | < 20 | Acceptable | |
| THCA | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBCA | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBLA | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| d9THCP | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |
| CBT | <loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<> | <loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<> | 0.0755 | % | NA | < 20 | Acceptable | |

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-009670/D004.R000

Report Date: 08/18/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/15/23 11:03







23-009670/D004.R000 **Report Number:**

Report Date: 08/18/2023 ORELAP#: OR100028

Purchase Order:

08/15/23 11:03 Received:

Explanation of QC Flag Comments:

| Code | Explanation | | | | | |
|------|---|--|--|--|--|--|
| Q | Matrix interferences affecting spike or surrogate recoveries. | | | | | |
| Q1 | Quality control result biased high. Only non-detect samples reported. | | | | | |
| Q2 | Quality control outside QC limits. Data considered estimate. | | | | | |
| Q3 | Sample concentration greater than four times the amount spiked. | | | | | |
| Q4 | Non-homogenous sample matrix, affecting RPD result and/or % recoveries. | | | | | |
| Q5 | Spike results above calibration curve. | | | | | |
| Q6 | Quality control outside QC limits. Data acceptable based on remaining QC. | | | | | |
| R | Relative percent difference (RPD) outside control limit. | | | | | |
| R1 | RPD non-calculable, as sample or duplicate results are less than five times the LOQ. | | | | | |
| R2 | Sample replicates RPD non-calculable, as only one replicate is within the analytical range. | | | | | |
| LOQ1 | Quantitation level raised due to low sample volume and/or dilution. | | | | | |
| LOQ2 | Quantitaion level raised due to matrix interference. | | | | | |
| В | Analyte detected in method blank, but not in associated samples. | | | | | |
| B1 | The sample concentration is greater than 5 times the blank concentration. | | | | | |
| B2 | The sample concentration is less than 5 times the blank concentration. | | | | | |