



Report Number:	23-009670/D011.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Customer:	Bayou City Hemp Oklahoma
Product identity:	V08Af30811
Client/Metrc ID:	
Laboratory ID:	23-009670-0001



Analyte	Result (%)			
∆8-THC	79.8		CBD-Total	<loq< td=""></loq<>
∆8-THCV	0.196			
СВТ	0.0860	• 8-THC	THC-Total	<loq< td=""></loq<>
		8-THCVCBT	(Reported in pe	rcent of total sample)

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-009670/D011.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Customer:	Bayou City Hemp Oklahoma 102 Avenue N. Idabel Oklahoma 74745 United States of America (USA)
Product identity:	V08Af30811
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-009670-0001
Evidence of Cooling:	No
Temp:	27.2 °C
Relinquished by:	client

Sample Results

Potency	Method: J AOAC 201	5 V98-6 (mod)	Units %	Batch: 2310117	Analyze: 8/16/23	10:07:00 PM
Analyte	As Dry Received weigh		Notes			
CBC	< LOQ	0.0703				
CBC-A	< LOQ	0.0703				
CBC-Total	< LOQ	0.132				8-THC
CBD	< LOQ	0.0703				8-THCV
CBD-A	< LOQ	0.0703				CBT
CBD-Total	< LOQ	0.132				
CBDV	< LOQ	0.0703				
CBDV-A	< LOQ	0.0703				
CBDV-Total	< LOQ	0.131				
CBE	< LOQ	0.0703				
CBG	< LOQ	0.0703				
CBG-A	< LOQ	0.0703				
CBG-Total	< LOQ	0.131				
CBL	< LOQ	0.0703				
CBL-A	< LOQ	0.0703				
CBL-Total	< LOQ	0.132				
CBN	< LOQ	0.0703				
CBT	0.0860	0.0703				
$\Delta 10$ -THC-9R	< LOQ	0.0703				
$\Delta 10$ -THC-9S	< LOQ	0.0703				
$\Delta 10$ -THC-Total	< LOQ	0.141				
$\Delta 8$ -THC	79.8	0.703				
$\Delta 8$ -THCV	0.196	0.0703				
∆9-THC	< LOQ	0.0703				
delta-9-THCP	< LOQ	0.0703				
exo-THC	< LOQ	0.0703				
THC-A	< LOQ	0.0703				
THC-Total	< LOQ	0.132				
THCV	< LOQ	0.0703				
THCV-A	< LOQ	0.0703				
THCV-Total	< LOQ	0.131				
Total Cannahinoids	80 1				-	
			-iolohorotorioo oom		F	Page 2 of 8

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Potency	Method: J AOAC 2	2015 V98-6 (mod) ^b	Units %	Batch: 2310117	Analyze: 8/16/23	10:07:00 PM
Analyte	As Dr Received w		lotes			

 www.columbialaboratories.com
 Page 3 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 23-009670/D011.R000

 Report Date:
 08/18/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 08/15/23 11:03
 08/15/23 11:03

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure % = Percentage of sample

% wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-009670/D011.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lat	oratory	Quality Co	ntrol Re	sults			
J AOAC 2015 V98-6	5				B	atch ID:	23101	17		
Laboratory Contro	l Sample									
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.0761	0.0718	%	106	80.0	-	120	Acceptable	
CBDV	2	0.0742	0.0708	%	105	80.0	-	120	Acceptable	
CBE	2	0.0840	0.0805	%	104	80.0	-	120	Acceptable	
CBDA	1	0.0790	0.0776	%	102	90.0	-	110	Acceptable	
CBGA	1	0.0781	0.0774	%	101	80.0	-	120	Acceptable	
CBG	1	0.0811	0.0794	%	102	80.0	-	120	Acceptable	
CBD	1	0.0829	0.0812	%	102	90.0	-	110	Acceptable	
THCV	2	0.0520	0.0513	%	101	80.0	-	120	Acceptable	
d8THCV	2	0.0622	0.0627	%	99.1	80.0	-	120	Acceptable	
THCVA	2	0.0815	0.0715	%	114	80.0	-	120	Acceptable	
CBN	1	0.0789	0.0810	%	97.4	80.0	-	120	Acceptable	
exo-THC	2	0.0706	0.0718	%	98.3	80.0		120	Acceptable	
d9THC	1	0.0769	0.0796	%	96.7	90.0		110	Acceptable	
d8THC	1	0.0713	0.0750	%	95.0	90.0		110	Acceptable	
9S-d10THC	1	0.0772	0.0816	%	94.5	80.0	-	120	Acceptable	
CBL	2	0.0719	0.0718	%	100	80.0	-	120	Acceptable	
9R-d10THC	1	0.0701	0.0745	%	94.1	80.0	-	120	Acceptable	
CBC	2	0.0711	0.0736	%	96.7	80.0	-	120	Acceptable	
THCA	1	0.0720	0.0763	%	94.3	90.0	-	110	Acceptable	
CBCA	2	0.0794	0.0750	%	106	80.0	-	120	Acceptable	
CBLA	2	0.121	0.115	%	105	80.0	-	120	Acceptable	
d9THCP	2	0.0688	0.0746	%	92.2	80.0	-	120	Acceptable	
CBT	2	0.0613	0.0725	%	84.5	80.0	-	120	Acceptable	
Method Blank		_								
Analyte		esult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		LOQ	0.0698		%		0.0698		Acceptable	
CBDV		LOQ	0.0698		%		0.0698		Acceptable	
CBE		LOQ	0.0698		%		0.0698		Acceptable	
CBDA		LOQ	0.0698		%		0.0698		Acceptable	
CBGA		LOQ	0.0698		%		0.0698		Acceptable	
CBG		LOQ	0.0698		%		0.0698		Acceptable	
CBD		LOQ	0.0698		%		0.0698		Acceptable	
THCV		LOQ	0.0698	I	%		0.0698		Acceptable	
d8THCV		LOQ	0.0698		%		0.0698		Acceptable	
THCVA		LOQ	0.0698		%		0.0698		Acceptable	
CBN		LOQ	0.0698	I	%		0.0698		Acceptable	
exo-THC		LOQ	0.0698	I	%		0.0698		Acceptable	
d9THC		LOQ	0.0698	I	%		0.0698		Acceptable	
d8THC		LOQ	0.0698	I	%		0.0698		Acceptable	
9S-d10THC		LOQ	0.0698	I	%		0.0698		Acceptable	
CBL		LOQ	0.0698	%			0.0698		Acceptable	
9R-d10THC		LOQ	0.0698	I	%		0.0698		Acceptable	
CBC		LOQ	0.0698	I	%		0.0698		Acceptable	
THCA		LOQ	0.0698	I	%		0.0698		Acceptable	
CBCA		LOQ	0.0698	I	%		0.0698		Acceptable	
CBLA		LOQ	0.0698	I	%		0.0698		Acceptable	
d9THCP		LOQ	0.0698	I	%		0.0698		Acceptable	
CBT	<	LOQ	0.0698	1	%		< 0.0698		Acceptable	1

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-009670/D011.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6					Bat	tch ID: 2310117		
Sample Duplicate					Sam	ple ID: 23-009667	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBDV	0.345	0.344	0.0755	%	0.194	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBG	0.162	0.161	0.0755	%	0.577	< 20	Acceptable	
CBD	93.6	95.2	0.0755	%	1.63	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
d9THC	0.181	0.179	0.0755	%	1.28	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBC	0.160	0.156	0.0755	%	2.67	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-009670/D011.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





23-009670/D011.R000 **Report Number: Report Date:** 08/18/2023 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/15/23 11:03

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430