



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-009670/D009.R000
Report Date: 08/18/2023
ORELAP#: OR100028
Purchase Order:
Received: 08/15/23 11:03

Customer: Bayou City Hemp Oklahoma
Product identity: V08BI30811
Client/Metric ID: .
Laboratory ID: 23-009670-0004

Summary

Potency:

Analyte	Result (%)		
Δ8-THC	79.5		CBD-Total <LOQ
Δ8-THCV	0.194		THC-Total <LOQ
CBT	0.0868		(Reported in percent of total sample)



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-009670/D009.R000
Report Date: 08/18/2023
ORELAP#: OR100028
Purchase Order:
Received: 08/15/23 11:03

Customer: Bayou City Hemp Oklahoma
 102 Avenue N.
 Idabel Oklahoma 74745
 United States of America (USA)

Product identity: V08BI30811

Client/Metric ID: .

Sample Date:

Laboratory ID: 23-009670-0004

Evidence of Cooling: No


Temp: 27.2 °C

Relinquished by: client

Sample Results

Potency **Method:** J AOAC 2015 V98-6 (mod)^P **Units %** **Batch:** 2310117 **Analyze:** 8/16/23 10:46:00 PM

Analyte	As Received	Dry weight	LOQ	Notes
CBC	< LOQ		0.0746	
CBC-A	< LOQ		0.0746	
CBC-Total	< LOQ		0.140	
CBD	< LOQ		0.0746	
CBD-A	< LOQ		0.0746	
CBD-Total	< LOQ		0.140	
CBDV	< LOQ		0.0746	
CBDV-A	< LOQ		0.0746	
CBDV-Total	< LOQ		0.139	
CBE	< LOQ		0.0746	
CBG	< LOQ		0.0746	
CBG-A	< LOQ		0.0746	
CBG-Total	< LOQ		0.139	
CBL	< LOQ		0.0746	
CBL-A	< LOQ		0.0746	
CBL-Total	< LOQ		0.140	
CBN	< LOQ		0.0746	
CBT	0.0868		0.0746	
Δ10-THC-9R	< LOQ		0.0746	
Δ10-THC-9S	< LOQ		0.0746	
Δ10-THC-Total	< LOQ		0.149	
Δ8-THC	79.5		0.746	
Δ8-THCV	0.194		0.0746	
Δ9-THC	< LOQ		0.0746	
delta-9-THCP	< LOQ		0.0746	
exo-THC	< LOQ		0.0746	
THC-A	< LOQ		0.0746	
THC-Total	< LOQ		0.140	
THCV	< LOQ		0.0746	
THCV-A	< LOQ		0.0746	
THCV-Total	< LOQ		0.139	
Total Cannabinoids	79.8			



Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-009670/D009.R000
Report Date: 08/18/2023
ORELAP#: OR100028
Purchase Order:
Received: 08/15/23 11:03

Potency	Method: J AOAC 2015 V98-6 (mod) ^p			Units %	Batch: 2310117	Analyze: 8/16/23 10:46:00 PM
Analyte	As Received	Dry weight	LOQ	Notes		
Total Camphorol						



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-009670/D009.R000
Report Date: 08/18/2023
ORELAP#: OR100028
Purchase Order:
Received: 08/15/23 11:03

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-009670/D009.R000
Report Date: 08/18/2023
ORELAP#: OR100028
Purchase Order:
Received: 08/15/23 11:03

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2310117

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0761	0.0718	%	106	80.0	- 120	Acceptable	
CBDV	2	0.0742	0.0708	%	105	80.0	- 120	Acceptable	
CBE	2	0.0840	0.0805	%	104	80.0	- 120	Acceptable	
CBD	1	0.0790	0.0776	%	102	90.0	- 110	Acceptable	
CBGA	1	0.0781	0.0774	%	101	80.0	- 120	Acceptable	
CBG	1	0.0811	0.0794	%	102	80.0	- 120	Acceptable	
THCV	2	0.0829	0.0812	%	102	90.0	- 110	Acceptable	
THCVA	2	0.0520	0.0513	%	101	80.0	- 120	Acceptable	
CBN	1	0.0622	0.0627	%	99.1	80.0	- 120	Acceptable	
exo-THC	2	0.0815	0.0715	%	114	80.0	- 120	Acceptable	
d8THC	1	0.0789	0.0810	%	97.4	80.0	- 120	Acceptable	
d8THC	1	0.0706	0.0718	%	98.3	80.0	- 120	Acceptable	
9S-d10THC	1	0.0769	0.0796	%	96.7	90.0	- 110	Acceptable	
CBL	2	0.0713	0.0750	%	95.0	90.0	- 110	Acceptable	
9R-d10THC	1	0.0772	0.0816	%	94.5	80.0	- 120	Acceptable	
CB	2	0.0719	0.0718	%	100	80.0	- 120	Acceptable	
THCA	1	0.0701	0.0745	%	94.1	80.0	- 120	Acceptable	
CBCA	2	0.0711	0.0736	%	96.7	80.0	- 120	Acceptable	
CBLA	2	0.0720	0.0763	%	94.3	90.0	- 110	Acceptable	
THCP	2	0.0794	0.0750	%	106	80.0	- 120	Acceptable	
THCP	2	0.121	0.115	%	105	80.0	- 120	Acceptable	
CBT	2	0.0688	0.0746	%	92.2	80.0	- 120	Acceptable	
CBT	2	0.0613	0.0725	%	84.5	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBDV	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBE	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBD	<LOQ	0.0698	%	< 0.0698	Acceptable	
THCV	<LOQ	0.0698	%	< 0.0698	Acceptable	
THCVA	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBN	<LOQ	0.0698	%	< 0.0698	Acceptable	
exo-THC	<LOQ	0.0698	%	< 0.0698	Acceptable	
d8THC	<LOQ	0.0698	%	< 0.0698	Acceptable	
d8THC	<LOQ	0.0698	%	< 0.0698	Acceptable	
9S-d10THC	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBL	<LOQ	0.0698	%	< 0.0698	Acceptable	
9R-d10THC	<LOQ	0.0698	%	< 0.0698	Acceptable	
CB	<LOQ	0.0698	%	< 0.0698	Acceptable	
THCA	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBCA	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBLA	<LOQ	0.0698	%	< 0.0698	Acceptable	
THCP	<LOQ	0.0698	%	< 0.0698	Acceptable	
THCP	<LOQ	0.0698	%	< 0.0698	Acceptable	
CBT	<LOQ	0.0698	%	< 0.0698	Acceptable	

Abbreviations
ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:
% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-009670/D009.R000
Report Date: 08/18/2023
ORELAP#: OR100028
Purchase Order:
Received: 08/15/23 11:03



Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2310117						
Sample Duplicate		Sample ID: 23-009667-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBDV	0.345	0.344	0.0755	%	0.194	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBG	0.162	0.161	0.0755	%	0.577	< 20	Acceptable	
CBD	93.6	95.2	0.0755	%	1.63	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
d9THC	0.181	0.179	0.0755	%	1.28	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBC	0.160	0.156	0.0755	%	2.67	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.0755	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-009670/D009.R000
Report Date: 08/18/2023
ORELAP#: OR100028
Purchase Order:
Received: 08/15/23 11:03





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.