



Report Number:	23-009670/D007.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Customer:	Bayou City Hemp Oklahoma
Product identity:	V08GI30811
Client/Metrc ID:	
Laboratory ID:	23-009670-0009



Potency: Analyte	Result (%)			
	80.0		CBD-Total	<loq< td=""></loq<>
	0.197			
CBT	0.0867	• 8-THC	THC-Total	<loq< td=""></loq<>
		8-THCVCBT	(Reported in per	rcent of total sample)

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-009670/D007.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Customer:	Bayou City Hemp Oklahoma 102 Avenue N. Idabel Oklahoma 74745 United States of America (USA)
Product identity: Client/Metrc ID:	V08Gl30811
Sample Date:	
Laboratory ID:	23-009670-0009
Evidence of Cooling:	No
Temp:	27.2 °C
Relinquished by:	client

Sample Results

Potency	Method: J AOAC 201	5 V98-6 (mod) ^þ	Units %	Batch: 2310117	Analyze: 8/16/23	11:26:00 PM
Analyte	As Dry Received weigl		otes			
CBC	< LOQ	0.0717				
CBC-A	< LOQ	0.0717				
CBC-Total	< LOQ	0.135				8-THC
CBD	< LOQ	0.0717				8-THCV
CBD-A	< LOQ	0.0717				CBT
CBD-Total	< LOQ	0.135				
CBDV	< LOQ	0.0717				
CBDV-A	< LOQ	0.0717				
CBDV-Total	< LOQ	0.134				
CBE	< LOQ	0.0717				
CBG	< LOQ	0.0717				
CBG-A	< LOQ	0.0717				
CBG-Total	< LOQ	0.134				
CBL	< LOQ	0.0717				
CBL-A	< LOQ	0.0717				
CBL-Total	< LOQ	0.135				
CBN	< LOQ	0.0717				
CBT	0.0867	0.0717				
$\Delta 10$ -THC-9R	< LOQ	0.0717				
$\Delta 10$ -THC-9S	< LOQ	0.0717				
$\Delta 10$ -THC-Total	< LOQ	0.143				
∆8-THC	80.0	0.717				
∆8-THCV	0.197	0.0717				
∆9-THC	< LOQ	0.0717				
delta-9-THCP	< LOQ	0.0717				
exo-THC	< LOQ	0.0717				
THC-A	< LOQ	0.0717				
THC-Total	< LOQ	0.135				
THCV	< LOQ	0.0717				
THCV-A	< LOQ	0.0717				
THCV-Total	< LOQ	0.134				
Total Cannahinoids	ጸበ 3				-	/ -
					F	Page 2 of 8

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-009670/D007.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Potency	Method: J AOAC 2015	V98-6 (mod) ^þ	Units %	Batch: 2310117	Analyze: 8/16/23 11:26:00 PM
Analyte	As Dry Received weight		lotes		

Page 3 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





 Report Number:
 23-009670/D007.R000

 Report Date:
 08/18/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 08/15/23 11:03
 08/15/23 11:03

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure % = Percentage of sample

% wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-009670/D007.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results AOAC 2015 V98-6 Batch ID: 2310117										
Laboratory Control	Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes	
CBDVA	2	0.0761	0.0718	%	106	80.0 -	120	Acceptable		
CBDV	2	0.0742	0.0708	%	105	80.0 - 3	120	Acceptable		
BE	2	0.0840	0.0805	%	104	80.0 - 3	120	Acceptable		
CBDA	1	0.0790	0.0776	%	102	90.0 - 3	110	Acceptable		
CBGA	1	0.0781	0.0774	%	101	80.0 -	120	Acceptable		
BG	1	0.0811	0.0794	%	102		120	Acceptable		
CBD	1	0.0829	0.0812	%	102		110	Acceptable		
THCV	2	0.0520	0.0513	%	101		120	Acceptable		
8THCV	2	0.0622	0.0627	%	99.1		120	Acceptable		
HCVA	2	0.0815	0.0715	%	114		120	Acceptable		
BN	1	0.0789	0.0810	%	97.4		120	Acceptable		
xo-THC	2	0.0706	0.0718	%	98.3		120	Acceptable		
9THC	1	0.0769	0.0796	%	96.7		120	Acceptable		
8THC	1	0.0713	0.0750	%	95.0		110	Acceptable		
9S-d10THC	1	0.0713	0.0816	%	95.0		110	Acceptable		
CBL	2	0.0772	0.0310	%	94.5 100		120	Acceptable		
B-d10THC	1		0.0718	%				Acceptable		
CBC	2	0.0701	0.0743	%	94.1		120	Acceptable		
		0.0711		%	96.7		120			
НСА	1	0.0720	0.0763		94.3		110	Acceptable		
BCA	2	0.0794	0.0750	%	106		120	Acceptable		
CBLA	2	0.121	0.115	%	105		120	Acceptable		
ІЭТНСР	2	0.0688	0.0746	%	92.2	80.0 - :	120	Acceptable		
CBT	2	0.0613	0.0725	%	84.5	80.0 - 2	120	Acceptable		
Method Blank										
Analyte		esult	LOQ		Units	Limits		Evaluation	Notes	
CBDVA		LOQ	0.0698	%		< 0.0698		Acceptable		
CBDV		LOQ	0.0698	%		< 0.0698		Acceptable		
CBE		LOQ	0.0698		%	< 0.0698		Acceptable		
CBDA		LOQ	0.0698		%	< 0.0698		Acceptable		
CBGA	<	LOQ	0.0698		%	< 0.0698		Acceptable		
CBG	<	LOQ	0.0698		%	< 0.0698		Acceptable		
CBD	<	LOQ	0.0698		%	< 0.0698		Acceptable		
HCV	<	LOQ	0.0698		%	< 0.0698		Acceptable		
18THCV	<	LOQ	0.0698		%	< 0.0698		Acceptable		
HCVA	<	LOQ	0.0698		%	< 0.0698		Acceptable		
CBN	<	LOQ	0.0698	1	%	< 0.0698		Acceptable		
xo-THC	<	LOQ	0.0698	1	%	< 0.0698		Acceptable		
I9THC		LOQ	0.0698	1	%	< 0.0698		Acceptable		
I8THC		100	0.0698		%	< 0.0698		Acceptable		
S-d10THC		100	0.0698	<u> </u>	%	< 0.0698		Acceptable		
BL		100	0.0698	<u> </u>	%	< 0.0698		Acceptable		
R-d10THC		100	0.0698	1	%	< 0.0698		Acceptable		
BC		100	0.0698		%	< 0.0698		Acceptable		
		100	0.0698		%	< 0.0698		Acceptable		
								Acceptable		
HCA		100								
THCA CBCA	<	LOQ	0.0698		%	< 0.0698				
EBC THCA CBCA CBLA I9THCP	<	:LOQ :LOQ :LOQ	0.0698		% % %	< 0.0698		Acceptable Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-009670/D007.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6											
Sample Duplicate					Sam	ple ID: 23-009667	-0001				
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes			
CBDVA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBDV	0.345	0.344	0.0755	%	0.194	< 20	Acceptable				
CBE	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBDA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBGA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBG	0.162	0.161	0.0755	%	0.577	< 20	Acceptable				
CBD	93.6	95.2	0.0755	%	1.63	< 20	Acceptable				
THCV	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
d8THCV	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
THCVA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBN	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
exo-THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
d9THC	0.181	0.179	0.0755	%	1.28	< 20	Acceptable				
d8THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBL	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBC	0.160	0.156	0.0755	%	2.67	< 20	Acceptable				
THCA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBCA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBLA	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
d9THCP	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				
CBT	<loq< td=""><td><loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0755</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0755	%	NA	< 20	Acceptable				

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-009670/D007.R000
Report Date:	08/18/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	08/15/23 11:03



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





23-009670/D007.R000 **Report Number: Report Date:** 08/18/2023 **ORELAP#:** OR100028 **Purchase Order:** 08/15/23 11:03 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430